

Raindance Select S Hand shower 120 3jet

Surfaces: **matt black** Art. no. : **26530670**



Description

product features


- Shower head size: 125 mm
- Spray pattern: Rain, RainAir, Whirl
- Select button to comfortably switch between spray modes
- Maximum flow rate (at 3 bar): 15 l/min
- minimum flow pressure: 1,4 bar
- Operating pressure: min. 1 bar/max. 6 bar
- with internal water conduction
- rinseable screen seal
- Connection thread 1/2"
- operating pressure: min 1.5 bar / max 6 bar
- winner of the iF product design award 2014

Article Details

Price excl. VAT

£ 124.80

Technology



Design awards



reddot winner 2020



reddot winner 2021




Certificates

kiwa

Product image



Scale drawing




Raindance Select S Hand shower 120 3jet

Surfaces: **matt black** Art. no. : **26530670**



Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.


Raindance Select S
Hand shower 120 3jet
 Surfaces: **matt black**

Art. no. : **26530670**



Exploded Drawing

Year of production: **>04/20**



Raindance Select S
Hand shower 120 3jet
 Surfaces: **matt black** Art. no. : **26530670**



Spare part list

Year of production: >04/20

Pos.	Description	Art. no.	Price	PU
1	filter insert	97708000	-	1
2	pivoting connection	93089000	-	1