
Mira Sport Shower Fittings



These instructions must be left with the user








General

- 1. Make sure that the shower fittings are installed by a competent installer.
- 2. Installations must comply with Water Regulations (Bye-Laws, Scotland), and any other Local Regulations and Building Regulations in force at the time of installation.
- 3. The shower fittings should be positioned at a convenient height for all the family. Position the fittings to spray across rather then towards the opening of the cubicle and also away from the shower control. Avoid layouts where the shower hose will be sharply kinked. This may reduce the life of the hose.
- 4. A hose retaining ring (integrated into the soap dish) is supplied to prevent the showerhead from dropping below the spill over level of the bath or shower, which could lead to contamination from back-siphonage.

The position of the shower and shower fittings must provide a minimum gap of 25 mm between the showerhead and the spill over level of any bath, shower tray or basin and 30 mm between the showerhead and the spill over level of any toilet or bidet.

- 5. Do not fit any form of flow control in the outlet pipe work if the shower fittings are installed in conjunction with a product that requires the fittings to act as a vent (e.g. an electric shower).
- 6. Special consideration should be given to the fixing arrangements when installing onto a dry lined, stud partition, shower cubicle or laminated panel wall structures. Installers may wish to obtain alternative proprietary cavity fixings, or choose other options, however, these methods of fixing are beyond the scope of this guide.



Hose Retaining Ring (Integrated into soap dish) fitted and shower fittings fixed at a suitable height preventing dirty water backflow

Specification - Pressures

Minimum maintained pressure: 0.1 bar (10 kPa). Maximum maintained pressure: 5.0 bar (500 kPa).

Installation

- 1. Mark the wall fixing positions and drill two holes to suit the wall fixings.
- Install the wall plugs and secure the top and bottom wall bracket with the wall screws.
 Note! Check for vertical alignment before tightening. The wall brackets are slotted to aid this alignment. Then fully tighten.
- 3. Install the clamp bracket, upper (closed end) and lower (open end) slide bar supports onto the slide bar.

Note! Lower (open) slide bar support slides up and down the slide bar to accommodate different fixing centres.

4. Push the slide bar support assemblies in to the wall brackets until a positive click is heard. Secure the assembly by pushing in the two locking pins.

Note! If required these can be removed with a 3 mm hexagonal wrench (not supplied).

Soap Dish Installation

- 1. Loosely secure the taper block into the soap dish with the soap dish screw.
- 2. Insert the soap dish assembly into the slide bar and tighten screw.

Caution! Do not over tighten.

Hose and Handset Installation

1. Fit a hose seal into the conical nut and screw onto the outlet of the shower.

Caution! Do not over tighten.

- **2.** Feed the hose through the hose retaining loop of the soap dish.
- 3. Fit a hose seal into the conical nut and screw onto the handset.


Caution! Do not over tighten.


4. Place the showerhead assembly into the clamp bracket assembly.

Cleaning


Many household cleaners contain abrasives and chemical substances, and should not be used for cleaning plated or plastic fittings. These finishes should be cleaned with a mild washing up detergent or soap solution, and then wiped dry using a soft cloth. Use your thumb or a soft cloth to wipe any limescale from the soft rubber nozzles and the front face of the spray plate assembly.

Important! The spray plate must be regularly cleaned to make sure that the showerhead does not become blocked.





Spray Modes



CUSTOMER SERVICE

Guarantee

Your product has the benefit of our one year manufacturer's guarantee which starts from the date of purchase. Within the guarantee period we will resolve defects in materials or workmanship, free of charge, by repairing or replacing parts or product as we may choose. This guarantee is in addition to your statutory rights and is subject to the following conditions:

• The product must be installed and maintained in accordance with the instructions given in this user guide.

 Replacement under this guarantee does not extend the original expiry date. The guarantee on any replacement parts or product ends at the original expiry date. The quarantee does not cover:

- Non product faults (such as damage or performance issues arising from incorrect installation, improper use, inappropriate cleaning, lack of maintenance, build up of limescale, frost damage, corrosion, system debris or blocked filters) or where no fault has been found with the product.
- · Accidental or wilful damage.
- Compensation for loss of use of the product or consequential loss of any kind.
- Damage or defects caused if the product is repaired or modified by persons not authorised by us or our appointed representative.

What to do if something goes wrong

If your product does not function correctly when you first use it, check that it is installed and commissioned in accordance with the instructions in this manual. If this does not resolve the issue, contact our Customer Services Team who will offer you or your installer help and advice. If you experience problems, check in this manual to see if simple home maintenance is required. If you require further assistance call our Customer Services Team.

Helpdesk Service

Our Customer Services Team is comprehensively trained and can offer help and advice, spare parts and accessories. We will need you to have your model name or number and date of purchase. As part of our quality and training programme calls may be recorded or monitored.

Mira Showers Website (www.mirashowers.co.uk)

From our website you can download additional user guides, diagnose faults, purchase our full range of accessories and popular spares, refer to our FAQ's.

Spares and Accessories

We maintain extensive stocks of genuine spares and accessories and aim to provide support throughout the product's expected life. Payment can be made by phone at time of order using most major Credit or Debit cards and we aim to despatch orders within 2 working days. Items purchased from us are guaranteed for 12 months from date of purchase.

Returns – items can be returned within one month of date of purchase, providing that they are in good condition and the packaging is unopened. If you wish to return any items please notify us in writing within seven days of receipt.

To Contact Us

Telephone: 0844 571 5000

E-mail: technical@mirashowers.com

Fax: 01242 282595

By Post: Mira Customer Services Dept, Cromwell Road, Cheltenham, Gloucestershire, GL52 5EP

Eire

Telephone: 01 459 1344

E-mail: sales@modernplant.ie Fax: Dublin 01 459 2329

By Post: Modern Plant Ltd (Dublin),*Otter House, Naas Road, Clondalkin, Dublin 22

Mira is a registered trade mark of Kohler Mira Limited. The company reserves the right to alter product specifications without notice.